
Mapping Ambient Pollution Gradients Using Mobile Air Quality Data

Washington State GIS Day

Jill Schulte, MPH
Quality Assurance Specialist/Data Analyst
Air Quality Program



Statewide Air Monitoring Network




https://fortress.wa.gov/ecy/enviwa/ 10:00am 11/17/14



What is $PM_{2.5}$?



Winter Sources of PM_{2.5}






Neighborhood-Scale Air Quality Monitoring



November 19, 2014

Vancouver Monitoring Site





State and Local Monitoring Sites



Vancouver City Limits






Vancouver Sites Map




Clean Air Act Standard


Vancouver PM_{2.5} Concentrations




Vancouver PM_{2.5} Concentrations



Nearby Source Impacts



Nearby Source Impacts




What do you do when you have neither time nor money?

- Study needs:
 - Immediate results
 - Only equipment on hand
 - Wide spatial coverage
 - Minimal temporal variation


...all it takes is a GPS, a nephelometer, two adventurous night-owls, and a pair of pantyhose.




Mobile PM_{2.5} Monitoring Platform



Mobile Nephelometer Platform



Mobile Nephelometer Platform




Route Priorities


- ~35 miles (1.5 hours)
- Focus on residential areas with moderate-to-high density of primary wood heating
- Include monitoring site and surrounding neighborhood
- Identify impacts of elevation and distance from Columbia River




Run 1 Results (19:42 – 21:46)



Run 2 Results (23:24 – 1:38)



Run 3 Results (6:02 – 8:26)




Analysis Method


- Grid of evenly-spaced points 50m apart (fishnet)
- 300 meter buffer around each grid point
- Geometric mean PM_{2.5} within 300 meter buffers (spatial join)
- Ordinary kriging




Typical PM_{2.5} Diurnal Pattern




Mobile Monitoring Data Time-Series



Mobile/Stationary Monitor Comparison



Aggregation Strategies



Examples:

- Subtract temporal variation at "background" site/zone
- Subtract temporal variation at fixed-site monitor
- Subtract running percentile


Van Poppel, Martine, Jan Peters, and Nico Bleux. "Methodology for setup and data processing of mobile air quality measurements to assess the spatial variability of concentrations in urban environments." *Environmental Pollution* 183 (2013): 224-233.

DEPARTMENT OF


ECOLOGY

State of Washington


Time-Series of Sampling Results



Time-Series of Sampling Results



Vancouver Mobile Monitoring Results Above Temporal Background (Running 20-Minute 10th Percentile)












Vancouver Mobile Monitoring Results Above Temporal Background (Running 20-minute 10th Percentile)



Seattle Mobile Data




Seattle Mobile Data



Log Black Carbon (ug/m^3)


- 1.37 2.08
- 2.09 3.01
- 3.02 3.18
- 3.19 3.36
- 3.37 3.66





11/18/2014

Percent Error by Run



Recommendations

- Longer stagnation period
- Minimum of 5 runs
- Shorter runs (<1 hour)
- Subtract temporal variation
 - Running percentile (<20th)
 - 20-minute window



Acknowledgements

The Midnight Driving Dream Team

- Cullen Stephenson
- Sean Lundblad

The Statistical Sages

- Assaf Oron
- Ranil Dhammapala

Top Tier Tech Support

- Mike Thompson
- Scott Dubble
- Chuck Pierce
- James Theivagt

Questions?

jill.schulte@ecy.wa.gov

